

Industrial Stormwater General Permits

TMDL Impaired Note: You must also check the 3O3(D) list.

Appendix 5

<u>Permit ID</u>	<u>Permittee Name</u>	<u>Water Body Name</u>	<u>Parameters</u>		<u>Max</u>	<u>Min</u>	<u>Units</u>
SO3000002D	CASCADE AUTO WRECKING INC	NORTH CREEK	COLIFORM, FECAL	\$	200		#/100 ML
			OXYGEN, DISSOLVED (DO)	^			MG/L
SO3000018D	JOSEPH SIMON AND SONS	PUYALLUP RIVER	BOD, 5-DAY (20 DEG. C)	^			MG/L
			CHLORINE, TOTAL RESIDUAL	^			MG/L
			NITROGEN, AMMONIA TOTAL (AS N)	^			MG/L
SO3000021D	SOUTH END AUTO WRECKING INC	RENTON BLACK RIVER	OXYGEN, DISSOLVED (DO)	^			MG/L
SO3000025D	VERBEEK WRECKING	UNNAMED	COLIFORM, FECAL	\$	200		#/100 ML
			OXYGEN, DISSOLVED (DO)	^			MG/L
SO3000052D	FIBREX CORP	GAGES SLOUGH	COLIFORM, FECAL	\$	200		#/100 ML
SO3000053D	HANCOR INC BRANCH 15	UNNAMED	BOD, 5-DAY (20 DEG. C)	^			MG/L
			COLIFORM, FECAL	\$	200		#/100 ML
			NITROGEN, AMMONIA TOTAL (AS N)	^			MG/L
			OXYGEN, DISSOLVED (DO)	^			MG/L
			PHOSPHORUS, TOTAL (AS P)	^			MG/L
SO3000072D	LTi INC LYNDEN	FISHTRAP CREEK	COLIFORM, FECAL	\$	200		#/100 ML
SO3000080D	MCPAUL MACHINE WORKS INC	CHEHALIS RIVER	BOD, 5-DAY (20 DEG. C)	^			MG/L
			COLIFORM, FECAL	\$	200		#/100 ML
			NITROGEN, AMMONIA TOTAL (AS N)	^			MG/L
			OXYGEN, DISSOLVED (DO)	^			MG/L
			PHOSPHORUS, TOTAL (AS P)	^			MG/L
SO3000090D	AUSTIN POWDER CO	UNNAMED	BOD, 5-DAY (20 DEG. C)	+	30		MG/L
			COLIFORM, FECAL	\$	200		#/100 ML
			NITROGEN, AMMONIA TOTAL (AS N)	^			MG/L
			PHOSPHORUS, TOTAL (AS P)	+	2		MG/L
SO3000092D	BELL LUMBER AND POLE CO	UNNAMED	COLIFORM, FECAL	\$	200		#/100 ML

* = No fecal source expected. Therefore, if certification form is submitted no monitoring will be required.

\$ = No fecal source; therefore, fecal sampling is not required.

^ = Parameter covered by a TMDL. Compliance with the permit constitutes compliance with the TMDL and no additional monitoring required.

+ = Parameter covered by a TMDL. Compliance with the permit constitutes compliance with the TMDL. Monitoring and Benchmarks in the permit still apply.

> = Parameter covered by a TMDL. Compliance with the permit constitutes compliance with the TMDL. Numeric value is a Benchmark with monitoring required.

% = Parameter covered by a TMDL. Monitoring is already required for this parameter under this permit. However, a limit has been set based on TMDL.

@ = Parameter covered by a TMDL. Monitoring is already required for this parameter under this permit. However, a limit applies per SIC code.

Industrial Stormwater General Permits

TMDL Impaired Note: You must also check the 3O3(D) list.

Appendix 5

Permit ID	Permittee Name	Water Body Name	Parameters		Max	Min	Units
SO3000101D	COMMERCIAL COLD STORAGE	SKAGIT RIVER	COLIFORM, FECAL	\$	200		#/100 ML
SO3000107D	GREEN CROW CORP P+D LOG YARD	SNOHOMISH RIVER	BOD, 5-DAY (20 DEG. C)	+	30		MG/L
			NITROGEN, AMMONIA TOTAL (AS N)	^			MG/L
SO3000111D	WILLIAMS SCOTSMAN INC	QUILCEDA CREEK	COLIFORM, FECAL	\$	200		#/100 ML
SO3000118D	GIRARD WOOD PRODUCTS	PUYALLUP RIVER	BOD, 5-DAY (20 DEG. C)	+	30		MG/L
			CHLORINE, TOTAL RESIDUAL	^			MG/L
			NITROGEN, AMMONIA TOTAL (AS N)	^			MG/L
SO3000134D	PICKERING INC	PUYALLUP RIVER	BOD, 5-DAY (20 DEG. C)	+	30		MG/L
			CHLORINE, TOTAL RESIDUAL	^			MG/L
			NITROGEN, AMMONIA TOTAL (AS N)	^			MG/L
SO3000138D	PHILIPS ULTRASOUND, INC	NORTH CREEK	COLIFORM, FECAL	\$	100		#/100 ML
SO3000158D	JELD WEN INC DBA JELD WEN EVER+NOR	POSSESSION SOUND (NORTH)	BOD, 5-DAY (20 DEG. C)	+	30		MG/L
			COLIFORM, FECAL	\$	43		#/100 ML
			NITROGEN, AMMONIA TOTAL (AS N)	^	19		MG/L
SO3000167D	WEYERHAEUSER CO UNION GAP	YAKIMA RIVER	SOLIDS, TOTAL SUSPENDED	>	56		MG/L
			TURBIDITY	>	25		NTU
SO3000186D	MILNE FRUIT PRODUCTS INC	YAKIMA RIVER	SOLIDS, TOTAL SUSPENDED	>	56		MG/L
			TURBIDITY	>	25		NTU
SO3000203D	MILLER SHINGLE CO YARD 3	SNOHOMISH RIVER	BOD, 5-DAY (20 DEG. C)	+	30		MG/L
			NITROGEN, AMMONIA TOTAL (AS N)	^			MG/L
SO3000207D	LAND O LAKES FARMLAND FEED LLC	SMITH CREEK	COLIFORM, FECAL	\$	200		#/100 ML
			NITROGEN, AMMONIA TOTAL (AS N)	^			MG/L
			OXYGEN, DISSOLVED (DO)	^			MG/L
SO3000208D	DRAPER VALLEY FARMS INC FEED MILL	DILLENBAUGH CREEK	BOD, 5-DAY (20 DEG. C)	+	30		MG/L
			COLIFORM, FECAL	\$	200		#/100 ML

* = No fecal source expected. Therefore, if certification form is submitted no monitoring will be required.
\$ = No fecal source; therefore, fecal sampling is not required.
^ = Parameter covered by a TMDL. Compliance with the permit constitutes compliance with the TMDL and no additional monitoring required.
+ = Parameter covered by a TMDL. Compliance with the permit constitutes compliance with the TMDL. Monitoring and Benchmarks in the permit still apply.
> = Parameter covered by a TMDL. Compliance with the permit constitutes compliance with the TMDL. Numeric value is a Benchmark with monitoring required.
% = Parameter covered by a TMDL. Monitoring is already required for this parameter under this permit. However, a limit has been set based on TMDL.
@ = Parameter covered by a TMDL. Monitoring is already required for this parameter under this permit. However, a limit applies per SIC code.

Industrial Stormwater General Permits

TMDL Impaired Note: You must also check the 3O3(D) list.

Appendix 5

Permit ID	Permittee Name	Water Body Name	Parameters		Max	Min	Units
SO3000208D	DRAPER VALLEY FARMS INC FEED MILL	DILLENBAUGH CREEK	NITROGEN, AMMONIA TOTAL (AS N)	^			MG/L
			OXYGEN, DISSOLVED (DO)	^			MG/L
			PHOSPHORUS, TOTAL (AS P)	+	2		MG/L
SO3000215D	DEL MONTE FOODS 125	WIDE HOLLOW CREEK	SOLIDS, TOTAL SUSPENDED	>	56		MG/L
			TURBIDITY	>	25		NTU
SO3000246D	STAR TRANSPORT TRAILERS INC	SULPHER CREEK WASTEWAY	SOLIDS, TOTAL SUSPENDED	>	56		MG/L
			TURBIDITY	>	25		NTU
SO3000258D	UTILITY VAULT CO	WHITE RIVER	BOD, 5-DAY (20 DEG. C)	^			MG/L
			CHLORINE, TOTAL RESIDUAL	^			MG/L
			NITROGEN, AMMONIA TOTAL (AS N)	^			MG/L
SO3000281D	PENTZ DESIGN PATTERN + FOUNDRY INC	SNOQUALMIE RIVER	BOD, 5-DAY (20 DEG. C)	^			MG/L
			COLIFORM, FECAL	\$	200		#/100 ML
			NITROGEN, AMMONIA TOTAL (AS N)	^			MG/L
SO3000317D	ACE INTERNATIONAL INC	SKOOKUMCHUCK RIVER	BOD, 5-DAY (20 DEG. C)	+	30		MG/L
			COLIFORM, FECAL	\$	200		#/100 ML
			NITROGEN, AMMONIA TOTAL (AS N)	^			MG/L
			OXYGEN, DISSOLVED (DO)	^			MG/L
			PHOSPHORUS, TOTAL (AS P)	^			MG/L
SO3000318D	WEYERHAEUSER BAY CITY SORTING YARD	CHEHALIS RIVER	COLIFORM, FECAL	\$	200		#/100 ML
SO3000333D	SIDELINE AUTO WRECKING INC	ELLIOT SLOUGH	COLIFORM, FECAL	\$	200		#/100 ML
SO3000339D	SAUDER WOOD PRODUCTS INC	NOOKSACK RIVER	COLIFORM, FECAL	\$	200		#/100 ML
			NITROGEN, AMMONIA TOTAL (AS N)	^			MG/L
			OXYGEN, DISSOLVED (DO)	^			MG/L
SO3000354D	FOSECO METALLURGICAL INC	CHEHALIS RIVER	BOD, 5-DAY (20 DEG. C)	+	30		MG/L
			COLIFORM, FECAL	\$	200		#/100 ML

* = No fecal source expected. Therefore, if certification form is submitted no monitoring will be required.
\$ = No fecal source; therefore, fecal sampling is not required.
^ = Parameter covered by a TMDL. Compliance with the permit constitutes compliance with the TMDL and no additional monitoring required.
+ = Parameter covered by a TMDL. Compliance with the permit constitutes compliance with the TMDL. Monitoring and Benchmarks in the permit still apply.
> = Parameter covered by a TMDL. Compliance with the permit constitutes compliance with the TMDL. Numeric value is a Benchmark with monitoring required.
% = Parameter covered by a TMDL. Monitoring is already required for this parameter under this permit. However, a limit has been set based on TMDL.
@ = Parameter covered by a TMDL. Monitoring is already required for this parameter under this permit. However, a limit applies per SIC code.

Industrial Stormwater General Permits

TMDL Impaired Note: You must also check the 3O3(D) list.

Appendix 5

Permit ID	Permittee Name	Water Body Name	Parameters		Max	Min	Units
SO3000354D	FOSECO METALLURGICAL INC	CHEHALIS RIVER	NITROGEN, AMMONIA TOTAL (AS N)	^			MG/L
			OXYGEN, DISSOLVED (DO)	^			MG/L
			PHOSPHORUS, TOTAL (AS P)	+	2		MG/L
SO3000362D	MUTUAL MATERIAL NEW CASTLE BRICK PL	COAL CREEK	OXYGEN, DISSOLVED (DO)	^			MG/L
SO3000369D	KRAUSE MFG INC	TENMILE CREEK	COLIFORM, FECAL	\$	100		#/100 ML
			NITROGEN, AMMONIA TOTAL (AS N)	^			MG/L
			OXYGEN, DISSOLVED (DO)	^			MG/L
SO3000382D	TWIN CITY FOODS INC PROS	YAKIMA RIVER	SOLIDS, TOTAL SUSPENDED	>	56		MG/L
			TURBIDITY	>	25		NTU
SO3000387D	ISG RESOURCES INC CENTRALIA	SKOOKUMCHUCK RIVER	BOD, 5-DAY (20 DEG. C)	^			MG/L
			COLIFORM, FECAL	\$	200		#/100 ML
			NITROGEN, AMMONIA TOTAL (AS N)	^			MG/L
			OXYGEN, DISSOLVED (DO)	^			MG/L
			PHOSPHORUS, TOTAL (AS P)	^			MG/L
SO3000388D	PACIFIC VENEER LTD	CHEHALIS RIVER	COLIFORM, FECAL	\$	200		#/100 ML
SO3000389D	HAMPTON DRYING CO	JOHNSON CREEK	COLIFORM, FECAL	\$	200		#/100 ML
			OXYGEN, DISSOLVED (DO)	^			MG/L
SO3000391D	ANDERSON AND MIDDLETON LUMBER CO	CHEHALIS RIVER	COLIFORM, FECAL	\$	200		#/100 ML
			OXYGEN, DISSOLVED (DO)	^			MG/L
SO3000437D	UNITED PARCEL SERVICE WAEVE	NORTH CREEK	COLIFORM, FECAL	\$	43		#/100 ML
			OXYGEN, DISSOLVED (DO)	^			MG/L
SO3000456D	WEYERHAEUSER WA TRUCK OPERATIONS	NEWAUKUM RIVER	BOD, 5-DAY (20 DEG. C)	^			MG/L
			COLIFORM, FECAL	\$	200		#/100 ML
			NITROGEN, AMMONIA TOTAL (AS N)	^			MG/L
			OXYGEN, DISSOLVED (DO)	^			MG/L
			PHOSPHORUS, TOTAL (AS P)	^			MG/L

* = No fecal source expected. Therefore, if certification form is submitted no monitoring will be required.
\$ = No fecal source; therefore, fecal sampling is not required.
^ = Parameter covered by a TMDL. Compliance with the permit constitutes compliance with the TMDL and no additional monitoring required.
+ = Parameter covered by a TMDL. Compliance with the permit constitutes compliance with the TMDL. Monitoring and Benchmarks in the permit still apply.
> = Parameter covered by a TMDL. Compliance with the permit constitutes compliance with the TMDL. Numeric value is a Benchmark with monitoring required.
% = Parameter covered by a TMDL. Monitoring is already required for this parameter under this permit. However, a limit has been set based on TMDL.
@ = Parameter covered by a TMDL. Monitoring is already required for this parameter under this permit. However, a limit applies per SIC code.

Industrial Stormwater General Permits

TMDL Impaired Note: You must also check the 3O3(D) list.

Appendix 5

Permit ID	Permittee Name	Water Body Name	Parameters		Max	Min	Units
SO3000461D	FLUKE CORPORATION EVERGREEN WAY	NORTH CREEK	COLIFORM, FECAL	\$	200		#/100 ML
			OXYGEN, DISSOLVED (DO)	^			MG/L
SO3000476D	SHORT HAUL INC	CHEHALIS RIVER	COLIFORM, FECAL	\$	200		#/100 ML
			OXYGEN, DISSOLVED (DO)	^			MG/L
SO3000486D	BURLINGTON NORTHERN SANTE FE DELTA SNOHOMISH RIVER		BOD, 5-DAY (20 DEG. C)	^			MG/L
			COLIFORM, FECAL	\$	200		#/100 ML
			NITROGEN, AMMONIA TOTAL (AS N)	^			MG/L
SO3000495D	LAIDLAW TRANSIT TENINO	SCATTER CREEK	BOD, 5-DAY (20 DEG. C)	^			MG/L
			COLIFORM, FECAL	\$	200		#/100 ML
			NITROGEN, AMMONIA TOTAL (AS N)	^			MG/L
			OXYGEN, DISSOLVED (DO)	^			MG/L
			PHOSPHORUS, TOTAL (AS P)	^			MG/L
SO3000538D	CHINOOK INDUSTRIAL PARK	YAKIMA RIVER	SOLIDS, TOTAL SUSPENDED	>	56		MG/L
			TURBIDITY	>	25		NTU
SO3000541D	ALSIDE WINDOWN CO NORTHWEST	UNNAMED	COLIFORM, FECAL	\$	200		#/100 ML
			OXYGEN, DISSOLVED (DO)	^			MG/L
SO3000551D	JEFFERSON SMURFIT CORPORATION US	BLACK RIVER	OXYGEN, DISSOLVED (DO)	^			MG/L
SO3000552D	DRAPER VALLEY FARMS	UNNAMED	COLIFORM, FECAL	>	200		#/100 ML
SO3000564D	WESTFARM FOODS	FISHTRAP CREEK	COLIFORM, FECAL	*	200		#/100 ML
SO3000569D	DUNLAP TOWING CHIP RELOAD MARYSVILL	SNOHOMISH RIVER	BOD, 5-DAY (20 DEG. C)	+	30		MG/L
			NITROGEN, AMMONIA TOTAL (AS N)	^			MG/L
SO3000573D	WASTE MANAGEMENT NORTHWEST	UNNAMED	COLIFORM, FECAL	\$	100		#/100 ML
			OXYGEN, DISSOLVED (DO)	^			MG/L
SO3000591D	AMERICOLD CORP BURLINGTON	GAGES SLOUGH	COLIFORM, FECAL	\$	200		#/100 ML

* = No fecal source expected. Therefore, if certification form is submitted no monitoring will be required.
\$ = No fecal source; therefore, fecal sampling is not required.
^ = Parameter covered by a TMDL. Compliance with the permit constitutes compliance with the TMDL and no additional monitoring required.
+ = Parameter covered by a TMDL. Compliance with the permit constitutes compliance with the TMDL. Monitoring and Benchmarks in the permit still apply.
> = Parameter covered by a TMDL. Compliance with the permit constitutes compliance with the TMDL. Numeric value is a Benchmark with monitoring required.
% = Parameter covered by a TMDL. Monitoring is already required for this parameter under this permit. However, a limit has been set based on TMDL.
@ = Parameter covered by a TMDL. Monitoring is already required for this parameter under this permit. However, a limit applies per SIC code.

Industrial Stormwater General Permits

TMDL Impaired Note: You must also check the 3O3(D) list.

Appendix 5

Permit ID	Permittee Name	Water Body Name	Parameters		Max	Min	Units
SO3000626D	AN WEST	FISHER CREEK	COLIFORM, FECAL	\$	200		#/100 ML
SO3000628D	CASCADE HARDWOOD LLC	DILLENBAUGH CREEK	BOD, 5-DAY (20 DEG. C)	+	30		MG/L
			COLIFORM, FECAL	\$	200		#/100 ML
			NITROGEN, AMMONIA TOTAL (AS N)	^			MG/L
			OXYGEN, DISSOLVED (DO)	^			MG/L
			PHOSPHORUS, TOTAL (AS P)	^			MG/L
SO3000697D	M AND M TRANSPORT INC	NEWAUKUM RIVER	BOD, 5-DAY (20 DEG. C)	^			MG/L
			COLIFORM, FECAL	*	200		#/100 ML
			NITROGEN, AMMONIA TOTAL (AS N)	^			MG/L
			OXYGEN, DISSOLVED (DO)	^			MG/L
			PHOSPHORUS, TOTAL (AS P)	^			MG/L
SO3000711D	TACOMA CENTRAL WASTEWATER PLANT	PUYALLUP RIVER	BOD, 5-DAY (20 DEG. C)	^			MG/L
			CHLORINE, TOTAL RESIDUAL	^			MG/L
			NITROGEN, AMMONIA TOTAL (AS N)	^			MG/L
SO3000727D	CHAMBERS CREEK WWTP	CHAMBERS CREEK	COPPER, TOTAL (AS CU)	^			UG/L
SO3000733D	ABERDEEN SANITARY LANDFILL	ELLIOT SLOUGH	COLIFORM, FECAL	*	200		#/100 ML
		VAN WINKLE CREEK	COLIFORM, FECAL	*	200		#/100 ML
SO3000735D	STAFFORD CREEK LANDFILL	STAFFORD CREEK	COLIFORM, FECAL	\$	200		#/100 ML
SO3000752D	NEPA PALLET AND CONTAINER CO INC	UNNAMED	BOD, 5-DAY (20 DEG. C)	+	30		MG/L
			COLIFORM, FECAL	\$	200		#/100 ML
			NITROGEN, AMMONIA TOTAL (AS N)	^			MG/L
SO3000759D	SINGLETON'S RV SALVAGE AND SALES	UNNAMED	BOD, 5-DAY (20 DEG. C)	^			MG/L
			COLIFORM, FECAL	\$	200		#/100 ML
			NITROGEN, AMMONIA TOTAL (AS N)	^			MG/L
			PHOSPHORUS, TOTAL (AS P)	^			MG/L
SO3000785D	PRYOR GIGGEY CO	DILLENBAUGH CREEK	BOD, 5-DAY (20 DEG. C)	^			MG/L

* = No fecal source expected. Therefore, if certification form is submitted no monitoring will be required.
\$ = No fecal source; therefore, fecal sampling is not required.
^ = Parameter covered by a TMDL. Compliance with the permit constitutes compliance with the TMDL and no additional monitoring required.
+ = Parameter covered by a TMDL. Compliance with the permit constitutes compliance with the TMDL. Monitoring and Benchmarks in the permit still apply.
> = Parameter covered by a TMDL. Compliance with the permit constitutes compliance with the TMDL. Numeric value is a Benchmark with monitoring required.
% = Parameter covered by a TMDL. Monitoring is already required for this parameter under this permit. However, a limit has been set based on TMDL.
@ = Parameter covered by a TMDL. Monitoring is already required for this parameter under this permit. However, a limit applies per SIC code.

Industrial Stormwater General Permits

TMDL Impaired Note: You must also check the 3O3(D) list.

Appendix 5

<u>Permit ID</u>	<u>Permittee Name</u>	<u>Water Body Name</u>	<u>Parameters</u>		<u>Max</u>	<u>Min</u>	<u>Units</u>
SO3000785D	PRYOR GIGGEY CO	DILLENBAUGH CREEK	COLIFORM, FECAL	\$	200		#/100 ML
			NITROGEN, AMMONIA TOTAL (AS N)	^			MG/L
			OXYGEN, DISSOLVED (DO)	^			MG/L
			PHOSPHORUS, TOTAL (AS P)	^			MG/L
SO3000798D	PW EAGLE INC SUNNYSIDE	YAKIMA RIVER	SOLIDS, TOTAL SUSPENDED	>	56		MG/L
			TURBIDITY	>	25		NTU
SO3000808D	NEW TACOMA BOX CO	PUYALLUP RIVER	BOD, 5-DAY (20 DEG. C)	+	30		MG/L
			CHLORINE, TOTAL RESIDUAL	^			MG/L
			NITROGEN, AMMONIA TOTAL (AS N)	^			MG/L
SO3000811D	MICHELSSEN PACKAGING YAK	YAKIMA RIVER	SOLIDS, TOTAL SUSPENDED	>	56		MG/L
			TURBIDITY	>	25		NTU
SO3000816D	LARRY'S AUTO AND TRUCK PARTS INC	GAGES SLOUGH	COLIFORM, FECAL	\$	200		#/100 ML
SO3000862D	ELENBAAS CO INC	JOHNSON CREEK	COLIFORM, FECAL	\$	200		#/100 ML
			OXYGEN, DISSOLVED (DO)	^			MG/L
SO3000871D	OAKVILLE FOREST PRODUCTS	CHEHALIS RIVER	BOD, 5-DAY (20 DEG. C)	+	30		MG/L
			COLIFORM, FECAL	\$	100		#/100 ML
			NITROGEN, AMMONIA TOTAL (AS N)	^			MG/L
			OXYGEN, DISSOLVED (DO)	^			MG/L
			PHOSPHORUS, TOTAL (AS P)	^			MG/L
SO3000875D	PORT OF GRAYS HARBOR	CHEHALIS RIVER	COLIFORM, FECAL	\$	200		#/100 ML
			OXYGEN, DISSOLVED (DO)	^			MG/L
SO3000892D	PT OF GRAYS HARBOR EQUIP MAINT COMP	CHEHALIS RIVER	COLIFORM, FECAL	\$	200		#/100 ML
			OXYGEN, DISSOLVED (DO)	^			MG/L
SO3000901D	BREMERTON NATIONAL AIRPORT + OVIP	NORTH EAST FORK UNION RIVER	COLIFORM, FECAL	\$	200		#/100 ML
SO3000905D	AMERICAN NEON	PUYALLUP RIVER	BOD, 5-DAY (20 DEG. C)	^			MG/L

* = No fecal source expected. Therefore, if certification form is submitted no monitoring will be required.

\$ = No fecal source; therefore, fecal sampling is not required.

^ = Parameter covered by a TMDL. Compliance with the permit constitutes compliance with the TMDL and no additional monitoring required.

+ = Parameter covered by a TMDL. Compliance with the permit constitutes compliance with the TMDL. Monitoring and Benchmarks in the permit still apply.

> = Parameter covered by a TMDL. Compliance with the permit constitutes compliance with the TMDL. Numeric value is a Benchmark with monitoring required.

% = Parameter covered by a TMDL. Monitoring is already required for this parameter under this permit. However, a limit has been set based on TMDL.

@ = Parameter covered by a TMDL. Monitoring is already required for this parameter under this permit. However, a limit applies per SIC code.

Industrial Stormwater General Permits

TMDL Impaired Note: You must also check the 3O3(D) list.

Appendix 5

Permit ID	Permittee Name	Water Body Name	Parameters		Max	Min	Units
SO3000905D	AMERICAN NEON	PUYALLUP RIVER	CHLORINE, TOTAL RESIDUAL	^			MG/L
			NITROGEN, AMMONIA TOTAL (AS N)	^			MG/L
SO3000956D	PEARSON METAL SALVAGE INC	SWAN CREEK	BOD, 5-DAY (20 DEG. C)	^			MG/L
			CHLORINE, TOTAL RESIDUAL	^			MG/L
			NITROGEN, AMMONIA TOTAL (AS N)	^			MG/L
SO3000978D	HORIZON AIR YAKIMA AIR TERMINAL	SPRING CREEK	SOLIDS, TOTAL SUSPENDED	>	56		MG/L
			TURBIDITY	>	25		NTU
SO3001015D	WEYERHAEUSER ABERDEEN SAWMILL	CHEHALIS RIVER	COLIFORM, FECAL	\$	200		#/100 ML
SO3001019D	CURTIS POLE COMPANY LLC	SOUTH FORK CHEHALIS RIVER	BOD, 5-DAY (20 DEG. C)	+	30		MG/L
			COLIFORM, FECAL	\$	200		#/100 ML
			NITROGEN, AMMONIA TOTAL (AS N)	^			MG/L
			OXYGEN, DISSOLVED (DO)	^			MG/L
			PHOSPHORUS, TOTAL (AS P)	^			MG/L
SO3001053D	SHELTON LAM AND DECK	DILLENBAUGH CREEK	BOD, 5-DAY (20 DEG. C)	+	30		MG/L
			COLIFORM, FECAL	\$	200		#/100 ML
			NITROGEN, AMMONIA TOTAL (AS N)	^			MG/L
			OXYGEN, DISSOLVED (DO)	^			MG/L
			PHOSPHORUS, TOTAL (AS P)	^			MG/L
SO3001054D	SEATTLE SNOHOMISH MILL CO INC	SNOHOMISH RIVER	BOD, 5-DAY (20 DEG. C)	+	30		MG/L
			NITROGEN, AMMONIA TOTAL (AS N)	^			MG/L
SO3001088D	QUIL CEDA AUTO WRECKING	QUILCEDA CREEK	BOD, 5-DAY (20 DEG. C)	^			MG/L
			COLIFORM, FECAL	*	200		#/100 ML
			NITROGEN, AMMONIA TOTAL (AS N)	^			MG/L
SO3001153D	UNION PACIFIC RAILROAD CO FIFE	PUYALLUP RIVER	BOD, 5-DAY (20 DEG. C)	^			MG/L
			CHLORINE, TOTAL RESIDUAL	^			MG/L
			NITROGEN, AMMONIA TOTAL (AS N)	^			MG/L

* = No fecal source expected. Therefore, if certification form is submitted no monitoring will be required.
\$ = No fecal source; therefore, fecal sampling is not required.
^ = Parameter covered by a TMDL. Compliance with the permit constitutes compliance with the TMDL and no additional monitoring required.
+ = Parameter covered by a TMDL. Compliance with the permit constitutes compliance with the TMDL. Monitoring and Benchmarks in the permit still apply.
> = Parameter covered by a TMDL. Compliance with the permit constitutes compliance with the TMDL. Numeric value is a Benchmark with monitoring required.
% = Parameter covered by a TMDL. Monitoring is already required for this parameter under this permit. However, a limit has been set based on TMDL.
@ = Parameter covered by a TMDL. Monitoring is already required for this parameter under this permit. However, a limit applies per SIC code.

Industrial Stormwater General Permits

TMDL Impaired Note: You must also check the 3O3(D) list.

Appendix 5

Permit ID	Permittee Name	Water Body Name	Parameters		Max	Min	Units
SO3001162D	COMMENCEMENT BAY CORRUGATED	PUYALLUP RIVER	BOD, 5-DAY (20 DEG. C)	^			MG/L
			CHLORINE, TOTAL RESIDUAL	^			MG/L
			NITROGEN, AMMONIA TOTAL (AS N)	^			MG/L
SO3001172D	VALSPAR COATINGS	BLACK RIVER	OXYGEN, DISSOLVED (DO)	^			MG/L
SO3001182D	AIR PRODUCTS MANUFACTURING CORP	PUYALLUP RIVER	BOD, 5-DAY (20 DEG. C)	+	30		MG/L
			NITROGEN, AMMONIA TOTAL (AS N)	^			MG/L
SO3001189D	PCCC INDUSTRIAL YARD	ROCK CREEK	OXYGEN, DISSOLVED (DO)	^			MG/L
SO3001197D	BEN FRANKLIN TRANSIT	YAKIMA RIVER	SOLIDS, TOTAL SUSPENDED	>	56		MG/L
			TURBIDITY	>	25		NTU
SO3001210D	HANNEGAN PROPERTIES LLC	TENMILE CREEK	COLIFORM, FECAL	\$	100		#/100 ML
			NITROGEN, AMMONIA TOTAL (AS N)	^			MG/L
			OXYGEN, DISSOLVED (DO)	^			MG/L
SO3001215D	CONRAD INDUSTRIES	DILLENBAUGH CREEK	BOD, 5-DAY (20 DEG. C)	^			MG/L
			COLIFORM, FECAL	\$	200		#/100 ML
			NITROGEN, AMMONIA TOTAL (AS N)	^			MG/L
			OXYGEN, DISSOLVED (DO)	^			MG/L
			PHOSPHORUS, TOTAL (AS P)	^			MG/L
SO3001216D	SAFETY KLEEN LYNNWOOD	MCALEER CREEK	PHOSPHORUS, TOTAL (AS P)	^			MG/L
SO3001223D	KENYON ZERO STORAGE INC	YAKIMA RIVER	SOLIDS, TOTAL SUSPENDED	>	56		MG/L
			TURBIDITY	>	25		NTU
SO3001280D	WHATCOM COUNTY CEDARVILLE LANDFILL	NOOKSACK RIVER	COLIFORM, FECAL	\$	200		#/100 ML
			NITROGEN, AMMONIA TOTAL (AS N)	@	10		MG/L
			OXYGEN, DISSOLVED (DO)	^			MG/L
SO3001430D	FEDERAL EXPRESS PAE BOTHELL	NORTH CREEK	COLIFORM, FECAL	\$	200		#/100 ML
			OXYGEN, DISSOLVED (DO)	^			MG/L

* = No fecal source expected. Therefore, if certification form is submitted no monitoring will be required.
\$ = No fecal source; therefore, fecal sampling is not required.
^ = Parameter covered by a TMDL. Compliance with the permit constitutes compliance with the TMDL and no additional monitoring required.
+ = Parameter covered by a TMDL. Compliance with the permit constitutes compliance with the TMDL. Monitoring and Benchmarks in the permit still apply.
> = Parameter covered by a TMDL. Compliance with the permit constitutes compliance with the TMDL. Numeric value is a Benchmark with monitoring required.
% = Parameter covered by a TMDL. Monitoring is already required for this parameter under this permit. However, a limit has been set based on TMDL.
@ = Parameter covered by a TMDL. Monitoring is already required for this parameter under this permit. However, a limit applies per SIC code.

Industrial Stormwater General Permits

TMDL Impaired Note: You must also check the 3O3(D) list.

Appendix 5

Permit ID	Permittee Name	Water Body Name	Parameters		Max	Min	Units
SO3001452D	FRIENDLY AUTO SALVAGE	HOQUIAM RIVER	COLIFORM, FECAL	*	400		#/100 ML
SO3001456D	SKAGIT FARMERS SUPPLY	SKAGIT RIVER	COLIFORM, FECAL	\$	200		#/100 ML
SO3001464D	WHATCOM FARMERS COOP	FISHTRAP CREEK	COLIFORM, FECAL	\$	200		#/100 ML
SO3001544D	WOLFKILL FEED AND FERTILIZER MON	WOODS CREEK	BOD, 5-DAY (20 DEG. C)	+	30		MG/L
			COLIFORM, FECAL	\$	200		#/100 ML
			NITROGEN, AMMONIA TOTAL (AS N)	^			MG/L
SO3001592D	CANYON LUMBER CO INC	SNOHOMISH RIVER	BOD, 5-DAY (20 DEG. C)	+	30		MG/L
			NITROGEN, AMMONIA TOTAL (AS N)	^			MG/L
SO3001617D	I P CALLISON AND SONS	SALZER CREEK	OXYGEN, DISSOLVED (DO)	^			MG/L
SO3001670D	BENNETT MACHINERY INC	PUYALLUP RIVER	BOD, 5-DAY (20 DEG. C)	^			MG/L
			CHLORINE, TOTAL RESIDUAL	^			MG/L
			NITROGEN, AMMONIA TOTAL (AS N)	^			MG/L
SO3001688D	PRECISION MACHINE WORKS INC	PUYALLUP RIVER	BOD, 5-DAY (20 DEG. C)	^			MG/L
			CHLORINE, TOTAL RESIDUAL	^			MG/L
			NITROGEN, AMMONIA TOTAL (AS N)	^			MG/L
			NITROGEN, TOTAL (AS N)	^			MG/L
SO3001689D	PREMIER BUILDING SYSTEMS	PUYALLUP RIVER	BOD, 5-DAY (20 DEG. C)	^	30		MG/L
			CHLORINE, TOTAL RESIDUAL	^			MG/L
			NITROGEN, AMMONIA TOTAL (AS N)	^			MG/L
SO3001690D	RACEWAY TECHNOLOGY	PUYALLUP RIVER	BOD, 5-DAY (20 DEG. C)	^			MG/L
			CHLORINE, TOTAL RESIDUAL	^			MG/L
			NITROGEN, AMMONIA TOTAL (AS N)	^			MG/L
SO3001708D	LTI INC	SULPHER CREEK WASTEWAY	SOLIDS, TOTAL SUSPENDED	>	56		MG/L
			TURBIDITY	>	25		NTU
SO3001736D	RAIL CAR WASHINGTON	DILLENBAUGH CREEK	BOD, 5-DAY (20 DEG. C)	^			MG/L

* = No fecal source expected. Therefore, if certification form is submitted no monitoring will be required.
\$ = No fecal source; therefore, fecal sampling is not required.
^ = Parameter covered by a TMDL. Compliance with the permit constitutes compliance with the TMDL and no additional monitoring required.
+ = Parameter covered by a TMDL. Compliance with the permit constitutes compliance with the TMDL. Monitoring and Benchmarks in the permit still apply.
> = Parameter covered by a TMDL. Compliance with the permit constitutes compliance with the TMDL. Numeric value is a Benchmark with monitoring required.
% = Parameter covered by a TMDL. Monitoring is already required for this parameter under this permit. However, a limit has been set based on TMDL.
@ = Parameter covered by a TMDL. Monitoring is already required for this parameter under this permit. However, a limit applies per SIC code.

Industrial Stormwater General Permits

TMDL Impaired Note: You must also check the 3O3(D) list.

Appendix 5

<u>Permit ID</u>	<u>Permittee Name</u>	<u>Water Body Name</u>	<u>Parameters</u>		<u>Max</u>	<u>Min</u>	<u>Units</u>
SO3001736D	RAIL CAR WASHINGTON	DILLENBAUGH CREEK	COLIFORM, FECAL	\$	200		#/100 ML
			NITROGEN, AMMONIA TOTAL (AS N)	^			MG/L
			OXYGEN, DISSOLVED (DO)	^			MG/L
			PHOSPHORUS, TOTAL (AS P)	^			MG/L
SO3001818D	DAN HULL DIST INC	COFFEE CREEK	BOD, 5-DAY (20 DEG. C)	^			MG/L
			COLIFORM, FECAL	\$	200		#/100 ML
			NITROGEN, AMMONIA TOTAL (AS N)	^			MG/L
			PHOSPHORUS, TOTAL (AS P)	^			MG/L
SO3001846D	SNOHOMISH CO SW RECYCLING + TRANS	MCALEER CREEK	PHOSPHORUS, TOTAL (AS P)	^			MG/L
SO3001876D	INDUSTRIAL SALES AND SERVICE INC	GRAYS HARBOR (INNER)	COLIFORM, FECAL	*	400		#/100 ML
SO3001920D	MARYS RIVER LUMBER	CHEHALIS RIVER	COLIFORM, FECAL	*	200		#/100 ML
			OXYGEN, DISSOLVED (DO)	^			MG/L
SO3001921D	TIMBERLAND OPPORTUNITIES	CHEHALIS RIVER	COLIFORM, FECAL	*	200		#/100 ML
SO3001927D	PAPAC LOGGING	HOQUIAM RIVER	COLIFORM, FECAL	\$	400		#/100 ML
SO3001931D	EMERY ENTERPRISES	CHARLEY CREEK	COLIFORM, FECAL	\$	200		#/100 ML
SO3001939D	HOQUIAM PLYWOOD CO INC	EAST FORK HOQUIAM RIVER	COLIFORM, FECAL	\$	200		#/100 ML
SO3001950D	DON LENTUS LOG ROAD CONST CTR	CHEHALIS RIVER	COLIFORM, FECAL	\$	200		#/100 ML
			OXYGEN, DISSOLVED (DO)	^			MG/L
SO3001964D	HARBOR SAW AND SUPPLY FAB SHOP	CHEHALIS RIVER	COLIFORM, FECAL	\$	200		#/100 ML
			OXYGEN, DISSOLVED (DO)	^			MG/L
SO3001983D	QUIL CEDA TANNING CO INC	QUILCEDA CREEK	BOD, 5-DAY (20 DEG. C)	^			MG/L
			COLIFORM, FECAL	\$	200		#/100 ML
			NITROGEN, AMMONIA TOTAL (AS N)	^			MG/L
SO3002031D	DK TRUCKING WILLIS ENT HOQUIAM	HOQUIAM RIVER	COLIFORM, FECAL	\$	400		#/100 ML

* = No fecal source expected. Therefore, if certification form is submitted no monitoring will be required.
\$ = No fecal source; therefore, fecal sampling is not required.
^ = Parameter covered by a TMDL. Compliance with the permit constitutes compliance with the TMDL and no additional monitoring required.
+ = Parameter covered by a TMDL. Compliance with the permit constitutes compliance with the TMDL. Monitoring and Benchmarks in the permit still apply.
> = Parameter covered by a TMDL. Compliance with the permit constitutes compliance with the TMDL. Numeric value is a Benchmark with monitoring required.
% = Parameter covered by a TMDL. Monitoring is already required for this parameter under this permit. However, a limit has been set based on TMDL.
@ = Parameter covered by a TMDL. Monitoring is already required for this parameter under this permit. However, a limit applies per SIC code.

Industrial Stormwater General Permits

TMDL Impaired Note: You must also check the 3O3(D) list.

Appendix 5

Permit ID	Permittee Name	Water Body Name	Parameters		Max	Min	Units
SO3002062D	DESTICON TRANSPORTATION INC	JOHNSON CREEK	COLIFORM, FECAL	\$	200		#/100 ML
			OXYGEN, DISSOLVED (DO)	^			MG/L
SO3002081D	ABERDEEN AUTO WRECKING	CHARLEY CREEK	COLIFORM, FECAL	\$	200		#/100 ML
SO3002085D	SKAGIT RIVER STEEL + RECYCLING BURL	GAGES SLOUGH	COLIFORM, FECAL	*	200		#/100 ML
SO3002115D	LEWIS CO WORK OPPORTUNITY	DILLENBAUGH CREEK	BOD, 5-DAY (20 DEG. C)	+	30		MG/L
			COLIFORM, FECAL	\$	200		#/100 ML
			NITROGEN, AMMONIA TOTAL (AS N)	^			MG/L
			OXYGEN, DISSOLVED (DO)	^			MG/L
			PHOSPHORUS, TOTAL (AS P)	^			MG/L
SO3002116D	KORVAN DIV OXBO INTERNATIONAL CORP	UNNAMED	COLIFORM, FECAL	\$	200		#/100 ML
			NITROGEN, AMMONIA TOTAL (AS N)	^			MG/L
			OXYGEN, DISSOLVED (DO)	^			MG/L
SO3002124D	CLASSIC CARS LTD DBA I 5 AUTO PARTS	UNNAMED	BOD, 5-DAY (20 DEG. C)	^			MG/L
			COLIFORM, FECAL	*	200		#/100 ML
			NITROGEN, AMMONIA TOTAL (AS N)	^			MG/L
			PHOSPHORUS, TOTAL (AS P)	^			MG/L
SO3002178D	WEYERHAEUSER ELMA VENEER	WILDCAT CREEK	BOD, 5-DAY (20 DEG. C)	+	30		MG/L
SO3002183D	MIKES WELDING OLYMPIA	TROSPER LAKE	BOD, 5-DAY (20 DEG. C)	^			MG/L
			COLIFORM, FECAL	\$	100		#/100 ML
			NITROGEN, AMMONIA TOTAL (AS N)	^			MG/L
			OXYGEN, DISSOLVED (DO)	^			MG/L
			PHOSPHORUS, TOTAL (AS P)	^			MG/L
SO3002213D	APEX ENVIRONMENTAL INC HOQUIAM	CHEHALIS RIVER	COLIFORM, FECAL	\$	200		#/100 ML
			OXYGEN, DISSOLVED (DO)	^			MG/L
SO3002223D	ALUMINITE NORTHWEST	DILLENBAUGH CREEK	BOD, 5-DAY (20 DEG. C)	^			MG/L
			NITROGEN, AMMONIA TOTAL (AS N)	^			MG/L

* = No fecal source expected. Therefore, if certification form is submitted no monitoring will be required.
\$ = No fecal source; therefore, fecal sampling is not required.
^ = Parameter covered by a TMDL. Compliance with the permit constitutes compliance with the TMDL and no additional monitoring required.
+ = Parameter covered by a TMDL. Compliance with the permit constitutes compliance with the TMDL. Monitoring and Benchmarks in the permit still apply.
> = Parameter covered by a TMDL. Compliance with the permit constitutes compliance with the TMDL. Numeric value is a Benchmark with monitoring required.
% = Parameter covered by a TMDL. Monitoring is already required for this parameter under this permit. However, a limit has been set based on TMDL.
@ = Parameter covered by a TMDL. Monitoring is already required for this parameter under this permit. However, a limit applies per SIC code.

Industrial Stormwater General Permits

TMDL Impaired Note: You must also check the 3O3(D) list.

Appendix 5

<u>Permit ID</u>	<u>Permittee Name</u>	<u>Water Body Name</u>	<u>Parameters</u>		<u>Max</u>	<u>Min</u>	<u>Units</u>
SO3002223D	ALUMINITE NORTHWEST	DILLENBAUGH CREEK	OXYGEN, DISSOLVED (DO)	^			MG/L
			PHOSPHORUS, TOTAL (AS P)	^			MG/L
SO3002231D	SNAPCO INCORP HUMPTULIPS	HUMPTULIPS RIVER	COLIFORM, FECAL	\$	200		#/100 ML
SO3002242D	PACIFIC SKIFFS INC	ALLEN CREEK	COLIFORM, FECAL	*	200		#/100 ML
SO3002331D	SHOEMAKER MFG CO CLE ELUM	YAKIMA RIVER	SOLIDS, TOTAL SUSPENDED	>	56		MG/L
			TURBIDITY	>	25		NTU
SO3002339D	LYNNWOOD DISPOSAL SERVICES	MCALEER CREEK	PHOSPHORUS, TOTAL (AS P)	^			MG/L
SO3002509C	NORTHWEST HARDWOOD SEDRO WOOLLEY	UNNAMED	COLIFORM, FECAL	\$	200		#/100 ML
SO3002511C	KING COUNTY SOUTH TREATMENT PLANT	BLACK RIVER	OXYGEN, DISSOLVED (DO)	^			MG/L
SO3002512C	GOLDEN STATE FOODS SUMNER	WHITE RIVER	BOD, 5-DAY (20 DEG. C)	^			MG/L
			CHLORINE, TOTAL RESIDUAL	^			MG/L
			NITROGEN, AMMONIA TOTAL (AS N)	^			MG/L
SO3002513C	ATLAS CASTINGS & TECHNOLOGY	DILLENBAUGH CREEK	BOD, 5-DAY (20 DEG. C)	^			MG/L
			COLIFORM, FECAL	\$	200		#/100 ML
			NITROGEN, AMMONIA TOTAL (AS N)	^			MG/L
			OXYGEN, DISSOLVED (DO)	^			MG/L
			PHOSPHORUS, TOTAL (AS P)	^			MG/L
SO3002538C	OLYMPIC VIEW SANITARY LANDFILL	UNION RIVER	COLIFORM, FECAL	\$	100		#/100 ML
SO3002642C	COLUMBIA BASIN RAILROAD CO YAKIMA	YAKIMA RIVER	SOLIDS, TOTAL SUSPENDED	>	56		MG/L
			TURBIDITY	>	25		NTU
SO3002714C	ROGNLIN'S CONC + ASPHALT RECYC ABER CHARLEY CREEK		COLIFORM, FECAL	\$	200		#/100 ML
SO3002734C	JOHNSON CONCENTRATES	YAKIMA RIVER	SOLIDS, TOTAL SUSPENDED	>	56		MG/L
			TURBIDITY	>	25		NTU

* = No fecal source expected. Therefore, if certification form is submitted no monitoring will be required.

\$ = No fecal source; therefore, fecal sampling is not required.

^ = Parameter covered by a TMDL. Compliance with the permit constitutes compliance with the TMDL and no additional monitoring required.

+ = Parameter covered by a TMDL. Compliance with the permit constitutes compliance with the TMDL. Monitoring and Benchmarks in the permit still apply.

> = Parameter covered by a TMDL. Compliance with the permit constitutes compliance with the TMDL. Numeric value is a Benchmark with monitoring required.

% = Parameter covered by a TMDL. Monitoring is already required for this parameter under this permit. However, a limit has been set based on TMDL.

@ = Parameter covered by a TMDL. Monitoring is already required for this parameter under this permit. However, a limit applies per SIC code.

Industrial Stormwater General Permits

TMDL Impaired Note: You must also check the 303(D) list.

Appendix 5

<u>Permit ID</u>	<u>Permittee Name</u>	<u>Water Body Name</u>	<u>Parameters</u>		<u>Max</u>	<u>Min</u>	<u>Units</u>
SO3002804C	SWEATMAN TRUCK SHOP 1020 SIMPSON	HOQUIAM RIVER	COLIFORM, FECAL	\$	400		#/100 ML
SO3002955C	CANAM/SUN STEEL BUILDINGS	YAKIMA RIVER	SOLIDS, TOTAL SUSPENDED	>	56		MG/L
			TURBIDITY	>	25		NTU
SO3002970C	EXPRESS PIPE AND PRECAST	NORTH EAST FORK UNION RIVER	COLIFORM, FECAL	\$	200		#/100 ML
SO3003073C	TRSW PORTLAND AVE	SWAN CREEK	BOD, 5-DAY (20 DEG. C)	^			MG/L
			CHLORINE, TOTAL RESIDUAL	^			MG/L
			NITROGEN, AMMONIA TOTAL (AS N)	^			MG/L
SO3003075C	EASTSIDE MASONRY PRODUCTS	MONROE UNNAMED	BOD, 5-DAY (20 DEG. C)	^			MG/L
			COLIFORM, FECAL	\$	200		#/100 ML
			NITROGEN, AMMONIA TOTAL (AS N)	^			MG/L
SO3003091C	ADM SWEETENERS	PUYALLUP RIVER	BOD, 5-DAY (20 DEG. C)	^	30		MG/L
			NITROGEN, AMMONIA TOTAL (AS N)	^	2		MG/L
			PHOSPHORUS, TOTAL (AS P)	^	2		MG/L
SO3003162C	CASCADE PLASTICS CO INC	PUYALLUP RIVER	BOD, 5-DAY (20 DEG. C)	^			MG/L
			CHLORINE, TOTAL RESIDUAL	^			MG/L
			NITROGEN, AMMONIA TOTAL (AS N)	^			MG/L
SO3003241C	HARDEL MUTUAL PLYWOOD CORP CHEHALIS	DILLENBAUGH CREEK	BOD, 5-DAY (20 DEG. C)	+	30		MG/L
			NITROGEN, AMMONIA TOTAL (AS N)	^			MG/L
			OXYGEN, DISSOLVED (DO)	^			MG/L
			PHOSPHORUS, TOTAL (AS P)	^			MG/L
SO3003283C	WAYNE DALTON CORP	UNNAMED	BOD, 5-DAY (20 DEG. C)	+	30		MG/L
			COLIFORM, FECAL	\$	100		#/100 ML
			NITROGEN, AMMONIA TOTAL (AS N)	^			MG/L
			PHOSPHORUS, TOTAL (AS P)	^			MG/L
SO3003286C	IKAN AUTO WRECKING	UNNAMED	COLIFORM, FECAL	\$	200		#/100 ML

* = No fecal source expected. Therefore, if certification form is submitted no monitoring will be required.

\$ = No fecal source; therefore, fecal sampling is not required.

^ = Parameter covered by a TMDL. Compliance with the permit constitutes compliance with the TMDL and no additional monitoring required.

+ = Parameter covered by a TMDL. Compliance with the permit constitutes compliance with the TMDL. Monitoring and Benchmarks in the permit still apply.

> = Parameter covered by a TMDL. Compliance with the permit constitutes compliance with the TMDL. Numeric value is a Benchmark with monitoring required.

% = Parameter covered by a TMDL. Monitoring is already required for this parameter under this permit. However, a limit has been set based on TMDL.

@ = Parameter covered by a TMDL. Monitoring is already required for this parameter under this permit. However, a limit applies per SIC code.

Industrial Stormwater General Permits

TMDL Impaired Note: You must also check the 3O3(D) list.

Appendix 5

Permit ID	Permittee Name	Water Body Name	Parameters		Max	Min	Units
SO3003300C	PUGET SOUND WOOD PRODUCTS HIDDEN VA	HIGGINS SLOUGH	COLIFORM, FECAL	\$	200		#/100 ML
SO3003367C	FEDERAL EXPRESS PWT STATION	EAST FORK UNION RIVER	COLIFORM, FECAL	\$	100		#/100 ML
SO3003375C	IKO PACIFIC INC INDUST	JOHNSON CREEK	COLIFORM, FECAL	\$	200		#/100 ML
			OXYGEN, DISSOLVED (DO)	^			MG/L
SO3003419C	TACOMA TRANSLOAD INC	PUYALLUP RIVER	BOD, 5-DAY (20 DEG. C)	^			MG/L
			CHLORINE, TOTAL RESIDUAL	^			MG/L
			NITROGEN, AMMONIA TOTAL (AS N)	^			MG/L
SO3003490C	NAPAVINE RELOAD YARD	UNNAMED	COLIFORM, FECAL	\$	200		#/100 ML
			NITROGEN, AMMONIA TOTAL (AS N)	^			MG/L
			PHOSPHORUS, TOTAL (AS P)	^			MG/L
SO3003514C	HOBART BAKERY SYSTEMS	UNNAMED	BOD, 5-DAY (20 DEG. C)	^			MG/L
			CHLORINE, TOTAL RESIDUAL	^			MG/L
			NITROGEN, AMMONIA TOTAL (AS N)	^			MG/L
SO3003612C	RIVERSIDE TOPSOIL	SNOHOMISH RIVER	BOD, 5-DAY (20 DEG. C)	+	30		MG/L
			NITROGEN, AMMONIA TOTAL (AS N)	^			MG/L
SO3003780C	ROMAC INDUSTRIES BOTHELL	NORTH CREEK	COLIFORM, FECAL	\$	200		#/100 ML
			OXYGEN, DISSOLVED (DO)	^			MG/L
SO3003805C	CASCADE STRUCTURAL LAMINATORS INC	DILLENBAUGH CREEK	BOD, 5-DAY (20 DEG. C)	+	30		MG/L
			COLIFORM, FECAL	\$	200		#/100 ML
			NITROGEN, AMMONIA TOTAL (AS N)	^			MG/L
			OXYGEN, DISSOLVED (DO)	^			MG/L
			PHOSPHORUS, TOTAL (AS P)	^			MG/L
SO3003828C	WEYERHAEUSER SNOQUALMIE	SNOQUALMIE RIVER	BOD, 5-DAY (20 DEG. C)	+	30		MG/L
			COLIFORM, FECAL	\$	200		#/100 ML
			NITROGEN, AMMONIA TOTAL (AS N)	^			MG/L

* = No fecal source expected. Therefore, if certification form is submitted no monitoring will be required.
\$ = No fecal source; therefore, fecal sampling is not required.
^ = Parameter covered by a TMDL. Compliance with the permit constitutes compliance with the TMDL and no additional monitoring required.
+ = Parameter covered by a TMDL. Compliance with the permit constitutes compliance with the TMDL. Monitoring and Benchmarks in the permit still apply.
> = Parameter covered by a TMDL. Compliance with the permit constitutes compliance with the TMDL. Numeric value is a Benchmark with monitoring required.
% = Parameter covered by a TMDL. Monitoring is already required for this parameter under this permit. However, a limit has been set based on TMDL.
@ = Parameter covered by a TMDL. Monitoring is already required for this parameter under this permit. However, a limit applies per SIC code.

Industrial Stormwater General Permits

TMDL Impaired Note: You must also check the 3O3(D) list.

Appendix 5

<u>Permit ID</u>	<u>Permittee Name</u>	<u>Water Body Name</u>	<u>Parameters</u>		<u>Max</u>	<u>Min</u>	<u>Units</u>
SO3003874C	DHL EXPRESS BOTHELL	NORTH CREEK	COLIFORM, FECAL	\$	200		#/100 ML
			OXYGEN, DISSOLVED (DO)	^			MG/L
SO3003893C	DRAPER VALLEY FARMS RENTON	BLACK RIVER	OXYGEN, DISSOLVED (DO)	^			MG/L
SO3003949C	ASSOCIATED PETROLEUM PRO ENUMCLAW	BOISE CREEK	BOD, 5-DAY (20 DEG. C)	^			MG/L
			CHLORINE, TOTAL RESIDUAL	^			MG/L
			COLIFORM, FECAL	\$	200		#/100 ML
			NITROGEN, AMMONIA TOTAL (AS N)	^			MG/L
			OXYGEN, DISSOLVED (DO)	^			MG/L
SO3003985C	TWIN CITY SALE	SALZER CREEK	BOD, 5-DAY (20 DEG. C)	^			MG/L
			COLIFORM, FECAL	*	200		#/100 ML
			NITROGEN, AMMONIA TOTAL (AS N)	^			MG/L
			OXYGEN, DISSOLVED (DO)	^			MG/L
			PHOSPHORUS, TOTAL (AS P)	^			MG/L
SO3003990C	WASTE MGMT SKAGIT CO HAULING	UNNAMED	COLIFORM, FECAL	\$	200		#/100 ML
SO3004084C	GRAYS HARBOR CENTRAL TRANSFER	VAN WINKLE CREEK	COLIFORM, FECAL	*	200		#/100 ML
SO3004085C	HAROLD LEMAY ENT MAINT SHOP	VAN WINKLE CREEK	COLIFORM, FECAL	*	200		#/100 ML
SO3004126B	TOLT TREATMENT FACILITIES	STOSSEL CREEK	BOD, 5-DAY (20 DEG. C)	^			MG/L
			COLIFORM, FECAL	\$	200		#/100 ML
			NITROGEN, AMMONIA TOTAL (AS N)	^			MG/L
		TOLT RIVER	BOD, 5-DAY (20 DEG. C)	^			MG/L
			COLIFORM, FECAL	\$	200		#/100 ML
			NITROGEN, AMMONIA TOTAL (AS N)	^			MG/L
SO3004249B	WALSH TRUCKING CO LTD NAPA	UNNAMED	BOD, 5-DAY (20 DEG. C)	^			MG/L
			COLIFORM, FECAL	\$	200		#/100 ML
			NITROGEN, AMMONIA TOTAL (AS N)	^			MG/L
			PHOSPHORUS, TOTAL (AS P)	^			MG/L

* = No fecal source expected. Therefore, if certification form is submitted no monitoring will be required.
\$ = No fecal source; therefore, fecal sampling is not required.
^ = Parameter covered by a TMDL. Compliance with the permit constitutes compliance with the TMDL and no additional monitoring required.
+ = Parameter covered by a TMDL. Compliance with the permit constitutes compliance with the TMDL. Monitoring and Benchmarks in the permit still apply.
> = Parameter covered by a TMDL. Compliance with the permit constitutes compliance with the TMDL. Numeric value is a Benchmark with monitoring required.
% = Parameter covered by a TMDL. Monitoring is already required for this parameter under this permit. However, a limit has been set based on TMDL.
@ = Parameter covered by a TMDL. Monitoring is already required for this parameter under this permit. However, a limit applies per SIC code.

Industrial Stormwater General Permits

TMDL Impaired Note: You must also check the 3O3(D) list.

Appendix 5

Permit ID	Permittee Name	Water Body Name	Parameters		Max	Min	Units
SO3004376B	THERMO FLUIDS INC	PUYALLUP RIVER	BOD, 5-DAY (20 DEG. C)	^			MG/L
			CHLORINE, TOTAL RESIDUAL	^			MG/L
			NITROGEN, AMMONIA TOTAL (AS N)	^			MG/L
SO3004398B	MORSE CONSTRUCTION GROUP INC	UNNAMED	BOD, 5-DAY (20 DEG. C)	^			MG/L
			COLIFORM, FECAL	\$	200		#/100 ML
			NITROGEN, AMMONIA TOTAL (AS N)	^			MG/L
SO3004468B	CASCADE WAREHOUSE COMPANY	COAL CREEK	BOD, 5-DAY (20 DEG. C)	+	30		MG/L
			COLIFORM, FECAL	\$	200		#/100 ML
			NITROGEN, AMMONIA TOTAL (AS N)	^			MG/L
			OXYGEN, DISSOLVED (DO)	^			MG/L
			PHOSPHORUS, TOTAL (AS P)	^			MG/L
SO3004473B	PACIFIC METAL FABRICATION	WHITE RIVER	BOD, 5-DAY (20 DEG. C)	^			MG/L
			CHLORINE, TOTAL RESIDUAL	^			MG/L
			NITROGEN, AMMONIA TOTAL (AS N)	^			MG/L
SO3004480B	GORDON TRUCKING - PACIFIC TERMINAL	WHITE RIVER	BOD, 5-DAY (20 DEG. C)	^			MG/L
			CHLORINE, TOTAL RESIDUAL	^			MG/L
			NITROGEN, AMMONIA TOTAL (AS N)	^			MG/L
SO3004516B	PACIFIC TOPSOILS MALTBY	BEAR CREEK	COLIFORM, FECAL	*	200		#/100 ML
SO3004552B	UNITED PARCEL SERVICE CHEHALIS	NEWAUKUM RIVER	BOD, 5-DAY (20 DEG. C)	^			MG/L
			COLIFORM, FECAL	\$	200		#/100 ML
			NITROGEN, AMMONIA TOTAL (AS N)	^			MG/L
			OXYGEN, DISSOLVED (DO)	^			MG/L
			PHOSPHORUS, TOTAL (AS P)	^			MG/L
SO3004616B	SORENSEN TRANSPORT COMPANY, INC	CHEHALIS RIVER	BOD, 5-DAY (20 DEG. C)	^			MG/L
			COLIFORM, FECAL	\$	200		#/100 ML
			NITROGEN, AMMONIA TOTAL (AS N)	^			MG/L
			OXYGEN, DISSOLVED (DO)	^			MG/L

* = No fecal source expected. Therefore, if certification form is submitted no monitoring will be required.
\$ = No fecal source; therefore, fecal sampling is not required.
^ = Parameter covered by a TMDL. Compliance with the permit constitutes compliance with the TMDL and no additional monitoring required.
+ = Parameter covered by a TMDL. Compliance with the permit constitutes compliance with the TMDL. Monitoring and Benchmarks in the permit still apply.
> = Parameter covered by a TMDL. Compliance with the permit constitutes compliance with the TMDL. Numeric value is a Benchmark with monitoring required.
% = Parameter covered by a TMDL. Monitoring is already required for this parameter under this permit. However, a limit has been set based on TMDL.
@ = Parameter covered by a TMDL. Monitoring is already required for this parameter under this permit. However, a limit applies per SIC code.

Industrial Stormwater General Permits

TMDL Impaired Note: You must also check the 3O3(D) list.

Appendix 5

<u>Permit ID</u>	<u>Permittee Name</u>	<u>Water Body Name</u>	<u>Parameters</u>		<u>Max</u>	<u>Min</u>	<u>Units</u>
SO3004616B	SORENSEN TRANSPORT COMPANY, INC	CHEHALIS RIVER	PHOSPHORUS, TOTAL (AS P)	^			MG/L
SO3004624A	PULLMAN, CITY OF TRANSIT FACILITY	SOUTH FORK PALOUSE RIVER	COLIFORM, FECAL	*	200		#/100 ML
SO3004625A	PULLMAN CITY OF WWTP	SOUTH FORK PALOUSE RIVER	COLIFORM, FECAL	>	200		#/100 ML
SO3004634A	CRESLINE-NORTHWEST LLC	DILLENBAUGH CREEK	BOD, 5-DAY (20 DEG. C)	^			MG/L
			NITROGEN, AMMONIA TOTAL (AS N)	^			MG/L
			OXYGEN, DISSOLVED (DO)	^			MG/L
SO3005568A	TERMINAL 2 TRANSLOADING FACILITY	CHEHALIS RIVER	COLIFORM, FECAL	\$	200		#/100 ML
SO3005575A	WESTFARM FOODS CHEHALIS	DILLENBAUGH CREEK	BOD, 5-DAY (20 DEG. C)	+	30		MG/L
			COLIFORM, FECAL	\$	200		#/100 ML
			NITROGEN, AMMONIA TOTAL (AS N)	^			MG/L
			OXYGEN, DISSOLVED (DO)	^			MG/L
			PHOSPHORUS, TOTAL (AS P)	+	2		MG/L
SO3005584A	WILLIS ENTERPRISES BARGE SITE	CHEHALIS RIVER	COLIFORM, FECAL	\$	200		#/100 ML
			OXYGEN, DISSOLVED (DO)	^			MG/L
SO3005586A	PACIFIC CARGO TACOMA SHOP	PUYALLUP RIVER	BOD, 5-DAY (20 DEG. C)	^			MG/L
			CHLORINE, TOTAL RESIDUAL	^			MG/L
			NITROGEN, AMMONIA TOTAL (AS N)	^			MG/L
SO3005601A	KC TRUCK PARTS INC	UNNAMED	BOD, 5-DAY (20 DEG. C)	^			MG/L
			COLIFORM, FECAL	\$	200		#/100 ML
			NITROGEN, AMMONIA TOTAL (AS N)	^			MG/L
			PHOSPHORUS, TOTAL (AS P)	^			MG/L
SO3005607A	PACIFIC TRUSS-SPAN	SWAN CREEK	BOD, 5-DAY (20 DEG. C)	^			MG/L
			CHLORINE, TOTAL RESIDUAL	^			MG/L
			NITROGEN, AMMONIA TOTAL (AS N)	^			MG/L
SO3005620A	TORGERSON 4 X 4	STEARNS CREEK	BOD, 5-DAY (20 DEG. C)	^			MG/L

* = No fecal source expected. Therefore, if certification form is submitted no monitoring will be required.

\$ = No fecal source; therefore, fecal sampling is not required.

^ = Parameter covered by a TMDL. Compliance with the permit constitutes compliance with the TMDL and no additional monitoring required.

+ = Parameter covered by a TMDL. Compliance with the permit constitutes compliance with the TMDL. Monitoring and Benchmarks in the permit still apply.

> = Parameter covered by a TMDL. Compliance with the permit constitutes compliance with the TMDL. Numeric value is a Benchmark with monitoring required.

% = Parameter covered by a TMDL. Monitoring is already required for this parameter under this permit. However, a limit has been set based on TMDL.

@ = Parameter covered by a TMDL. Monitoring is already required for this parameter under this permit. However, a limit applies per SIC code.

Industrial Stormwater General Permits

TMDL Impaired Note: You must also check the 3O3(D) list.

Appendix 5

<u>Permit ID</u>	<u>Permittee Name</u>	<u>Water Body Name</u>	<u>Parameters</u>		<u>Max</u>	<u>Min</u>	<u>Units</u>
SO3005620A	TORGERSON 4 X 4	STEARNS CREEK	COLIFORM, FECAL	\$	200		#/100 ML
			NITROGEN, AMMONIA TOTAL (AS N)	^			MG/L
			PHOSPHORUS, TOTAL (AS P)	^			MG/L
SO3005627A	DIAMOND SKY	PUYALLUP RIVER	BOD, 5-DAY (20 DEG. C)	+	30		MG/L
			CHLORINE, TOTAL RESIDUAL	^			MG/L
			NITROGEN, AMMONIA TOTAL (AS N)	^			MG/L
SO3005633A	PRECISION IRON WORKS	UNNAMED	BOD, 5-DAY (20 DEG. C)	^			MG/L
			CHLORINE, TOTAL RESIDUAL	^			MG/L
			NITROGEN, AMMONIA TOTAL (AS N)	^			MG/L
SO3005634A	MASTER PRECASTER	PUYALLUP RIVER	BOD, 5-DAY (20 DEG. C)	^			MG/L
			CHLORINE, TOTAL RESIDUAL	^			MG/L
			NITROGEN, AMMONIA TOTAL (AS N)	^			MG/L
SO3005639A	MURREYS DISPOSAL	PUYALLUP RIVER	BOD, 5-DAY (20 DEG. C)	^			MG/L
			CHLORINE, TOTAL RESIDUAL	^			MG/L
			NITROGEN, AMMONIA TOTAL (AS N)	^			MG/L
SO3006618A	IMPERIAL FABRICATING COMPANY	BERWICK CREEK	BOD, 5-DAY (20 DEG. C)	^			MG/L
			NITROGEN, AMMONIA TOTAL (AS N)	^			MG/L
			OXYGEN, DISSOLVED (DO)	^			MG/L
			PHOSPHORUS, TOTAL (AS P)	^			MG/L
SO3008696A	NORTH WEST HARDWOODS BAXTER YARD	SKOOKUMCHUCK RIVER	OXYGEN, DISSOLVED (DO)	^			MG/L
SO3008707A	CHEHALIS POWER GENERATION FACILITY	BERWICK CREEK	BOD, 5-DAY (20 DEG. C)	^			MG/L
			COLIFORM, FECAL	\$	200		#/100 ML
			NITROGEN, AMMONIA TOTAL (AS N)	^			MG/L
			OXYGEN, DISSOLVED (DO)	^			MG/L
			PHOSPHORUS, TOTAL (AS P)	^			MG/L
SO3008708A	WOODRUFFS PRODUCTS	PUYALLUP RIVER	BOD, 5-DAY (20 DEG. C)	^			MG/L

* = No fecal source expected. Therefore, if certification form is submitted no monitoring will be required.

\$ = No fecal source; therefore, fecal sampling is not required.

^ = Parameter covered by a TMDL. Compliance with the permit constitutes compliance with the TMDL and no additional monitoring required.

+ = Parameter covered by a TMDL. Compliance with the permit constitutes compliance with the TMDL. Monitoring and Benchmarks in the permit still apply.

> = Parameter covered by a TMDL. Compliance with the permit constitutes compliance with the TMDL. Numeric value is a Benchmark with monitoring required.

% = Parameter covered by a TMDL. Monitoring is already required for this parameter under this permit. However, a limit has been set based on TMDL.

@ = Parameter covered by a TMDL. Monitoring is already required for this parameter under this permit. However, a limit applies per SIC code.

Industrial Stormwater General Permits

TMDL Impaired Note: You must also check the 3O3(D) list.

Appendix 5

Permit ID	Permittee Name	Water Body Name	Parameters		Max	Min	Units
SO3008708A	WOODRUFFS PRODUCTS	PUYALLUP RIVER	CHLORINE, TOTAL RESIDUAL	^			MG/L
			NITROGEN, AMMONIA TOTAL (AS N)	^			MG/L
SO3008711A	AEROCELL CORP MARYSVILLE	WEST FORK QUILCEDA CREEK	BOD, 5-DAY (20 DEG. C)	^			MG/L
			COLIFORM, FECAL	\$	200		#/100 ML
			NITROGEN, AMMONIA TOTAL (AS N)	^			MG/L
SO3008719A	CHEHALIS WASTEWATER TREATMENT PLANT	CHEHALIS RIVER	BOD, 5-DAY (20 DEG. C)	^			MG/L
			COLIFORM, FECAL	\$	200		#/100 ML
			NITROGEN, AMMONIA TOTAL (AS N)	^			MG/L
			OXYGEN, DISSOLVED (DO)	^			MG/L
			PHOSPHORUS, TOTAL (AS P)	^			MG/L
		DILLENBAUGH CREEK	BOD, 5-DAY (20 DEG. C)	^			MG/L
			COLIFORM, FECAL	\$	200		#/100 ML
			NITROGEN, AMMONIA TOTAL (AS N)	^			MG/L
			OXYGEN, DISSOLVED (DO)	^			MG/L
			PHOSPHORUS, TOTAL (AS P)	^			MG/L
SO3008723A	LITTLE RIVER INC	HOQUIAM RIVER	COLIFORM, FECAL	\$	400		#/100 ML
SO3008725A	LOCAL MANUFACTURING INC	FRY CREEK	COLIFORM, FECAL	\$	200		#/100 ML
SO3008731A	BYBEE FOODS LLC	UNNAMED	SOLIDS, TOTAL SUSPENDED	>	56		MG/L
			TURBIDITY	+	25		NTU
SO3008737A	CASCADE AG SERVICES INC	NORTH FORK SKAGIT RIVER	COLIFORM, FECAL	*	100		#/100 ML
SO3008738A	FRED MEYER DISTRIBUTION CENTER	DILLENBAUGH CREEK	BOD, 5-DAY (20 DEG. C)	^			MG/L
			COLIFORM, FECAL	*	200	100	#/100 ML
			NITROGEN, AMMONIA TOTAL (AS N)	^			MG/L
			OXYGEN, DISSOLVED (DO)	^			MG/L
			PHOSPHORUS, TOTAL (AS P)	^			MG/L
SO3008740A	OCEAN PROTEIN LLC	GRAYS HARBOR (INNER)	COLIFORM, FECAL	*	43		#/100 ML

* = No fecal source expected. Therefore, if certification form is submitted no monitoring will be required.
\$ = No fecal source; therefore, fecal sampling is not required.
^ = Parameter covered by a TMDL. Compliance with the permit constitutes compliance with the TMDL and no additional monitoring required.
+ = Parameter covered by a TMDL. Compliance with the permit constitutes compliance with the TMDL. Monitoring and Benchmarks in the permit still apply.
> = Parameter covered by a TMDL. Compliance with the permit constitutes compliance with the TMDL. Numeric value is a Benchmark with monitoring required.
% = Parameter covered by a TMDL. Monitoring is already required for this parameter under this permit. However, a limit has been set based on TMDL.
@ = Parameter covered by a TMDL. Monitoring is already required for this parameter under this permit. However, a limit applies per SIC code.